

Projet site pilote – Bénin

Compilation de références bibliographiques d'études portant sur le carbone en foresterie – DRAFT (la liste sera complétée au fur et à mesure)

Etudes spécifiques au Bénin	
1.	Adjolohoun S, Dahouda M, Adandedjan C, Toleba SS, Kindomihou V, Sinsin B (2013) Evaluation of biomass production and nutritive value of nine <i>Panicum maximum</i> ecotypes in Central region of Benin. <i>African Journal of Agricultural Research</i> , 8(17), 1661-1668
2.	Aholoukpe , Dubos HB, Flori A, Deleporte P, Amadji G, Chotte JL, Blavet D (2013) Estimating aboveground biomass of oil palm: Allometric equations for estimating frond biomass. <i>Forest Ecology and Management</i> , 292, 122–129.
3.	Ahononga, F.C., Ahonon, M., Boni, L., 2006. Contribution des plantations privées à la constitution des réserves de carbone au Bénin: cas des plantations de teck (<i>Tectona grandis</i>) et d'Acacia (<i>Acacia auriculiformis</i>) de la Commune d'Abomey-Calavi. APRA/AGRAN.
4	Ajonina G., Ago E., Diyoke Mibog E., Amousou G., Akambi I.D., Dossa E., 2013. Etablissement du bilan carbone des mangroves des zones humides du Complexe Ouest du Sud Bénin en vue de la préparation d'un projet MDP. Rapport de consultation, 79p.
5	Akossou A.Y.J, Arzouma S., Attakpa EY., Fonton NH., Kokou K., 2013. Scaling of Teak (<i>Tectona grandis</i>) Logs by the Xylometer Technique: Accuracy of Volume Equations and Influence of the Log Length. <i>Diversity</i> 2013, 5, 99-113; doi:10.3390/d5010099.
6	Assouma, 2010, Estimation du stock de carbone dans les plantations de <i>Tectona grandis</i> âgées de 20 ans de la lama et de djigbe au Sud-benin, thèse d'ingénieur agronome, FSA/UAC
7	Attignon, S. E., Weibel, D., Lachat, T., Sinsin, B., Nagel, P. & Peveling, R. 2004. Leaf litter breakdown in natural and plantation forests of the Lama forest reserve in Benin. <i>Applied Soil Ecology</i> 27: 109–124.
8	Avohou HT, Sinsin B. 2009. The effects of topographic factors on aboveground biomass production of grasslands in the Atacora Mountains in Northwestern Benin. <i>Mountain Research and Development</i> , 29(3):250-254.
9	Barthès B., Azontonde A., Blanchart E., Girardin C., Villenave C., Lesaint S., Oliver R., Feller C. 2004. Effect of a legume cover crop (<i>Mucuna pruriens</i> var. utilis) on soil carbon in an Ultisol under maize cultivation in southern Benin. <i>Soil Use and Management</i> (2004) 20, 231-239.
10	BELLO A.A. 2014. Estimation du stock de carbone de la biomasse aérienne des plantations de teck (<i>Tectona grandis</i> L. F.) de la forêt classée de la Lama (sud et centre Bénin). Mémoire de master professionnel en gestion des ressources naturelles et de la biodiversité, FSA/UAC. 55p.
11	Djagoun C.A.M.S., Codron D., Sealy J., Mensah G.A. Sinsin G.A. 2013. Stable Carbon Isotope Analysis of the Diets of West African Bovids in Pendjari Biosphere Reserve, Northern Benin. <i>South African Journal of Wildlife Research</i> , 43(1):33-43. 2013.
12	Djego, J. G. M. 2006. Phytosociologie de la végétation de sous-bois et impact écologique des plantations forestières sur la diversité floristique au sud et au centre du Bénin Thèse de doctorat Université d'Abomey-Calavi.
13	Dossa A. F. E., 2011. Identification et classification des espèces utilisées en agroforesterie ayant un potentiel élevé en séquestration de carbone et appropriés aux différents sols du Bénin. ASDI-SMHI. 45p.
14	Fonton H.N., Akouehou G., 2010. Tables de cubage des principales essences forestières de la zone soudanienne du Bénin : Aspect méthodologiques d'établissement des tarifs de cubage des arbres et résultats. PBF-II/DGFRN/MEHU, 61p.

Etudes spécifiques au Bénin	
15	Fonton H.N., Dah-Dovonon J.Z., Adoko F.K., Dotchamou T., 2009. Modélisation du volume du fût d'arbre pour une gestion durable des écosystèmes forestiers soudanais. <i>Bois et Forêts des Tropiques</i> , 300(2) 95-100.
16	Gbemavo D. S. J. C., Gnangle P. C., Azontonde A., Glele kakai R. L. 2014. Modélisation du stock de biomasse et dynamique de séquestration minérale et du carbone de <i>Jatropha curcas</i> L. sous différents types de sol au Bénin. <i>Annales des sciences agronomiques</i> 18 (1) : 1-20, 2014
17	Goussanou CA, Assogbadjo AE, Gouwakinou GN, Glèlè Kakaï RL, Chakeredza S, Sinsin B (2013) Biomass, root structure and morphological characteristics of the medicinal <i>Sarcocephalus latifolius</i> shrub across different ecologies in Benin. <i>QScience Connect</i> 2013, 12. DOI: 0.5339/connect.2013.12.
18	Guendehou G.H.S., Lehtonen A., Moudachirou M., Mäkipää R., Sinsin B., 2012. Stem biomass and volume models of selected tropical tree species in West Africa. <i>Southern Forests</i> , 74(2), 77-88.
19	R. Mäkipää, J. Liski, S. Guendehou, R. Malimbwi, and A. Kaaya. Soil carbon monitoring using surveys and modelling - General description and application in the United Republic of Tanzania. FAO Forestry Paper 168. FAO 2012, ISBN 978-92-5-107271-4 ISSN 0258-6150. http://www.fao.org/forestry/32545-078ade939238335dea8570f134cd68fca.pdf
20	Guendehou, G. H. S., Liski, J., Tuomi, M., Moudachirou, M., Sinsin, B., and Mäkipää, R.: Test of validity of a dynamic soil carbon model using data from leaf litter decomposition in a West African tropical forest, <i>Geosci. Model Dev. Discuss.</i> , 6, 3003-3032, doi:10.5194/gmdd-6-3003-2013, 2013.
21	G.H.S. Guendehou, J. Liski, M. Tuomi, M. Moudachirou, B. Sinsin and R. Mäkipää. Decomposition and changes in chemical composition of leaf litter of five dominant tree species in a West African tropical forest. <i>Tropical Ecology</i> 55 (2): 207-220, 2014.
22	Guendehou, G. H. Sabin & Lehtonen, Aleks. 2014. Guidance for tree measurement in tropical forest ecosystems using non-destructive sampling to develop stem biomass and volume models. <i>Metlan työraportteja / Working Papers of the Finnish Forest Research Institute</i> 287. 10 s. ISBN 978-951-40-2465-8(PDF). http://www.metla.fi/julkaisut/workingpapers/2014/mwp287.htm
23	Guendehou, G. H. Sabin & Mäkipää, Raisa. 2014. Approach to data collection for soil carbon modelling in Benin. <i>Metlan työraportteja / Working Papers of the Finnish Forest Research Institute</i> 290.10 s. ISBN 978-951-40-2469-6(pdf). http://www.metla.fi/julkaisut/workingpapers/2014/mwp290.htm .
24	Pelon, J., Mallet, M., Mariscal, A., Goloub, P., Tanré D., Bou Karam, D., Flamant, C., Haywood, J., Pospichal, B, Victori S. 2008. Microlidar observations of biomass burning aerosol over Djougou (Benin) during African Monsoon Multidisciplinary Analysis Special Observation Period 0: Dust and Biomass-Burning Experiment. <i>Journal of Geophysical Research</i> , VOL. 113, D00C18, doi:10.1029/2008JD009976, 2008.
25	PGFTR 2000. Une étude de base sur la teneur en carbone organique de la biomasse ligneuse et des sols rencontrés dans les zones d'intervention du PGFTR. 96p.
26	Saïdou A., Dossa A.F.E., Gnanglè P.C., Balogoun I., Aho N., 2012. Evaluation du stock de carbone dans les systèmes agroforestiers à karité (<i>Vitellaria paradoxa</i> C.F. Gaertn.) et à néré (<i>Parkia biglobosa</i> Jacq. G. Don) en zone Soudanienne du Bénin. <i>Bulletin de la Recherche Agronomique du Bénin</i> , 2012 1-9.
27	Sounon D. 2013. Etude comparative de la capacité de séquestration de carbone de <i>Tectona grandis</i> L.f et de <i>Gmelina arborea</i> Roxb.ex Sm. dans la forêt classée de la Lama. Mémoire de master professionnel en gestion des ressources naturelles et de la biodiversité, FSA/UAC. 55p.
28	Toko I, Sinsin B. 2011. Facteurs déterminant la variabilité spatiale de la biomasse herbacée dans la zone soudano-guinéenne du Bénin. <i>Int. J. Biol. Chem. Sci.</i> 5(3): 930-943, 2011.
29	Volkoff B., Faure P., Dubroeuq D., Viennot M., 1999. Estimation des stocks de carbone des sols du Bénin. <i>Etude et Gestion des Sols</i> , 6(2), 115-130.

	Afrique de l'Ouest
1	Abugre, S., Oti-Boateng C, Yeboah MF. 2011. Litter fall and decomposition trend of <i>Jatropha curcas</i> L. leaves mulches under two environmental conditions. <i>Agriculture and Biology Journal of North America</i> , 2(3): 462-470.
2	Adekunle VAJ. 2007. Non-linear regression models for timber volume estimation in natural forest ecosystem, southwest Nigeria. <i>Research Journal of Forestry</i> 1: 40–54.
3	Akindele SO, LeMay VM. 2006. Development of tree volume equations for common timber species in the tropical rainforest area of Nigeria. <i>Forest Ecology and Management</i> 226: 41–48.
4	Asante, W. and Jengre, N. (2012) Carbon Stocks and Soil Nutrient Dynamics in the Peat Swamp Forests of the Amanzule Wetlands and Ankobra River Basin. USAID Integrated Coastal and Fisheries Governance Program for the Western Region of Ghana. Accra: Nature Conservation and Research Centre. 45 pp.
5	Bakayoko O., Assa A. M., Coulibaly B., N'guessan K. A., 2012. Stockage de Carbone Dans des Peuplements de <i>Cedrela odorata</i> et de <i>Gmelina arborea</i> en Côte D'ivoire. <i>European Journal of Scientific Research</i> ISSN 1450-216X Vol.75 No.4 (2012), pp. 490-501
6	Bationo, A., Kihara, J., Vanlauwe, B., Waswa, B., and Kimetu, J. 2007. Soil organic carbon dynamics, functions and management in West African agro-ecosystems, <i>Agr. Syst.</i> , 94, 13–25, 2007.
7	Bombelli, A., Henry, M., Castaldi, S., Adu-Bredu, S., Arneth, A., de Grandcourt, A., Grieco, E., Kutsch, W.L., Lehsten, V., Rasile, A., Reichstein, M., Tansey, K., Weber, U., Valentini, R., 2009. An outlook on the Sub-Saharan Africa carbon balance. <i>Biogeosciences</i> , 6, 2193-2205.
8	Ciais, P., Piao, S.-L., Cadule, P., Friedlingstein, P., Chédin, A., 2009. Variability and recent trends in African terrestrial carbon balance. <i>Biogeosciences</i> , 6: 1935-1948.
9	Deng Z, Janssens MJJ. 2006. Litter Fall Production in West-African Forests and Plantations. Tropentag 2006 University of Bonn, October 11-13, 2006. Conference on International Agricultural Research for Development
10	Djomo, A.N., Ibrahima, A., Saborowski, J., Gravenhorst, G., 2010. Allometric equations for biomass estimations in Cameroon and pan moist tropical equations including biomass data from Africa. <i>Forest Ecology and Management</i> , 260 (10), 1873–1885.
11	Djuikouo MNK, Doucet J-L, Nguembou CK, Lewis SL, Sonké B. 2010. Diversity and aboveground biomass in three tropical forest types in the Dja Biosphere Reserve, Cameroon. <i>Afr. J. Ecol.</i> , 48, 1053–1063
12	Dossa EL, Fernandes ECM, Reid WS, Ezui K. 2008. Above- and belowground biomass, nutrient and carbon stocks contrasting an open-grown and a shaded coffee plantation. <i>Agroforest Syst</i> (2008) 72:103–115.
13	Doumbia, M., Jarju, A., Sene, M., Traore, K., Yost, R., Kablan, R., Brannan, K., Berthe, A., Yamoah, C., Querido, A., Traore, P. C. S., and Ballo, A.: Sequestration of organic carbon in West African soils by Amenagement en Courbes de Niveau, <i>Agron. Sustain. Dev.</i> , 29, 267–275, 2008.
14	Edu E.A., Edwin-Wosu NL, Ononyume MO, Nkang AE., 2014. Carbon credits assessment in a mixed mangrove forest vegetation of Cross River Estuary, Nigeria. <i>Asian Journal of Plant Science and Research</i> , 2014, 4(4):1-12
15	Egunjobi, J.K. and Bada, S.O. (1979) Biomass and Nutrient Distribution in Stands of <i>Pinus caribea</i> in the Dry Forest zone of Nigeria. <i>Biotropica</i> , 11, 130-135. http://dx.doi.org/10.2307/2387790
16	Henry M, Picard N, Trotta C, Manlay RJ, Valentini R, Bernoux M, Saint--André L 2011. Estimating Tree Biomass of Sub-Saharan African Forests: a Review of Available Allometric Equations. <i>Silva Fennica</i> 45 , 477–569.
17	Henry, M, Besnard, A, Asante, WA, Eshun, J, Adu-Bredu, S, Valentini, R, Bernoux, M, Saint-André, L (2010). Wood density, phytomass variations within and among trees, and allometric equations in a tropical rainforest of Africa. <i>Forest Ecology and Management</i> 260 (2010) 1375–1388.
18	Henry, M., Maniatis, D., Gitz, V., Huberman, D., Valentini, R., 2011. Implementation of REDD+ in sub-Saharan Africa: state of knowledge, challenges and opportunities. <i>Environment and Development Economics</i> , 16: 381-404.

	Afrique de l'Ouest
19	Houghton, R. A., Hackler, J. L. 2006 Emissions of carbon from land use change in sub-Saharan Africa, <i>Journal of Geophysical Research</i> , 111, G02003.
20	Konare H, Yost RS, Doumbia M., McCarty GW, Jarju A. Kablan R. 2010. Loss on ignition: Measuring soil organic carbon in soils of the Sahel, West Africa. <i>African Journal of Agricultural Research</i> Vol. 5(22), pp. 3088-3095
21	Liu, S., Kaire, M., Wood, E., Diallo, O., and Tieszen, L. L.: Impacts of land use and climate change on carbon dynamics in southcentral Senegal, <i>J. Arid. Environ.</i> , 59, 583–604, 2004.
22	Luedeling E., Neufeldt H. 2012. Carbon sequestration potential of parkland agroforestry in the Sahel. <i>Climatic Change</i> (2012) 115:443–461
23	Marks E., Aflakpui GKS, Nkem J., Poch RM., Khouma M., Kokou K., Sagoe R., Sebastià M-T. 2009. Challenges and opportunities in linking carbon sequestration, dryland livelihoods and ecosystem service provision. <i>Biogeosciences</i> , 6, 1825–1838, 2009.
24	Mbaekwe, E.I. and Mackenzie, J.A. (2008) The Use of a Best-Fit Allometric Model to Estimate above Ground Biomass Accumulation and Distribution in an Age Series of Teak (<i>Tectona grandis</i> L.f.) Plantations at Gambari Forest Reserve, Oyo State, Nigeria. <i>Tropical Ecology</i> , 49, 259-270.
25	Mbow C, Chhin S, Sambou B, Skole DL (2013). Potential of dendrochronology to assess annual rates of biomass productivity in savanna trees of West Africa. <i>Dendrochronologia</i> 31: 41-51.
26	Mbow, C., Verstraete, M.M., Sambou, B., Diaw, A.T., Neufeldt, H., 2013. Allometric models for aboveground biomass in dry savanna trees of the Sudan and Sudan-Guinean ecosystems of Southern Senegal. <i>J. For. Res.</i> 19, 340–347.
27	Muoghalu JI, Odiwe AI., 2011. Litter production and decomposition in cacao (<i>Theobroma cacao</i>) and kolanut (<i>Cola nitida</i>) plantations. <i>Ecotropica</i> 17: 79–90, 2011.
28	Muoghalu, J.I. 2003. Contributions of throughfall, stemflow and litter fall to nutrient cycling in a secondary lowland rainforest in Ile-Ife, Nigeria. <i>Journal of Tropical Forest Science</i> 15: 339-410.
29	Ndakara, O E. 2011. Litterfall and nutrient returns in isolated stands of <i>Persea gratissima</i> (avocado pear) in the rainforest zone of southern Nigeria. <i>Ethiopian journal of environmental studies and management</i> vol. 4 no.3 2011.
30	Ndakara, O. E. 2012. Litterfall and nutrient returns in isolated stands of <i>Terminalia catappa</i> trees in the rainforest area of southern Nigeria. <i>Ethiopian journal of environmental studies and management</i> vol. 5 no.1 2012.
31	Ngomanda A, Engone Obiang NL, Lebamba J, Moundounga Mavourolou Q, Gomat H, Mankou GS, Loumeto J, Midoko Iponga D, Kossi Ditsouga F, Zinga Koumba R, Botsika Bobé KH, Mikala Okouyi C, Nyangadouma R, Lépengué N, Mbatchi B, Picard N (2014) Site-specific versus pantropical allometric equation: Which option to estimate the biomass of a moist central African forest. <i>Forest Ecology and Management</i> , 312:1–9.
32	Odiwe, A.I., Muoghalu, J.I. 2003. Litterfall dynamics and forest floor litter as influenced by fire in a secondary lowland rainforest in Nigeria. <i>Tropical Ecology</i> 44: 241-249.
33	Oke D., Olatilu A., 2011. Carbon Storage in Agroecosystems: A Case Study of the Cocoa Based Agroforestry in Ogbese Forest Reserve, Ekiti State, Nigeria. <i>Journal of Environmental Protection</i> , 2, 1069-1075
34	Ola-Adams, B.A. (1993) Effects of Spacing on Biomass Distribution and Nutrient Content of <i>Tectona grandis</i> Linn. f. (Teak) and <i>Terminalia superba</i> Engl. & Diels. (Afara) in South-Western Nigeria. <i>Forest Ecology and Management</i> , 58, 299-319. http://dx.doi.org/10.1016/0378-1127(93)90152-D
35	Oyediji, S.; Animasaun, DA; Ogunkunle, CO; Anibijuwon, IF; Fatoba, PO. 2014. Influence of tree characters and climate on litter characteristics in <i>Daniellia oliveri</i> (Rolfe) Hutch. & Dalziel. <i>J. Appl. Sci. Environ. Manage.</i> March 2014 vol. 18 (1) 85-90
36	Oziegbe MB, Muoghalu JI, Oke SO. 2011. Litterfall, precipitation and nutrient fluxes in a secondary lowland rainforest in Ile-Ife, Nigeria. <i>Acta Botanica Brasilica</i> 25(3): 664-671. 2011.
37	Rasmussen MO, Götttsche F-M, Diop D, Mbow C, Olesen F-S, Fensholt R, Sandholt I (2011). Tree survey and allometric models for tiger bush in northern Senegal and comparison with tree parameters derived from high

Afrique de l'Ouest	
	Resolution satellite data. <i>International Journal of Applied Earth Observation and Geoinformation</i> 13, (4):517-527.
38	Roncoli, C., Jost, C., Perez, C., Moore, K., Ballo, A., Cisse, S., Ouattara, K., 2007. Carbon sequestration from common property resources: Lessons from community-based sustainable pasture management in north-central Mali. <i>Agricultural Systems</i> , 94(1): 97-109.
39	Sawadogo, L., Savadogo, P., Tiveau, D., Dayamba, S.D., Zida, D., Nouvellet, Y., Oden, P.C., Guinko, S., 2010. Allometric prediction of above-ground biomass of eleven woody tree species in the Sudanian savanna-woodland of West Africa. <i>J. Forest. Res.</i> 21, 475–481.
40	Sebastià, M.-T., Marks, E., and Poch, R. M.: Soil carbon and plant diversity distribution at the farm level in the savannah region of Northern Togo (West Africa). <i>Biogeosciences Discuss.</i> , 5, 4107-4127, 2008.
41	Sotelo Montes, C, Weber, JC, (2009). Genetic variation in wood density and correlations with tree growth in <i>Prosopis africana</i> from Burkina Faso and Niger. <i>Annals of Forest Science</i> , 66 (2009) 713.
42	Stringer L, Dougill A, Thomas A., Stracklen D, Chesterman S, Ifejika-Speranza C, Rueff H, Riddell M, Williams M, Beedy T, Abson D, Klintonberg P, Syampungani S, Powell P, Palmer A, Seely M, Mkwambisi D, Falcao M, Siteo A, Ross S, Kopolo G. Challenges and opportunities in linking carbon sequestration, dryland livelihoods and ecosystem service provision. Centre for Climate Change Economics and Policy, Working Paper No. 81, 21p.
43	Thangata PH, Hildebrand PE (2012). Carbon stock and sequestration potential of agroforestry systems in smallholder agroecosystems of sub-Saharan Africa: Mechanisms for 'reducing emissions from deforestation and forest degradation' (REDD+). <i>Agriculture, Ecosystems and Environment</i> , 158:172---183.
44	Tieszen, L. L., Tappan, G. G. and Toure, A.: Sequestration of carbon in soil organic matter in Senegal: an overview, <i>J. Arid Environ.</i> , 59, 409–425, 2004.
45	Tschakert, P. and Tappan, G. 2004. The social context of carbon sequestration: considerations from a multi-scale environmental history of the Old Peanut Basin of Senegal, <i>J. Arid Environ.</i> , 59, 535–564, 2004
46	Tschakert, P., Khouma, M., and Sene, M. 2004. Biophysical potential for soil carbon sequestration in agricultural systems of the Old Peanut Basin of Senegal, <i>J. Arid. Environ.</i> , 59, 511–533, 2004.
47	Unruh, J. D., Houghton, R. A., and Lefebvre, P. A. 1993. Carbon storage in agroforestry: an estimate for sub-Saharan Africa, <i>Climate Res.</i> , 3, 39–52, 1993.
48	Vagen, T. G., Lal, R., and Singh, B. R.2005. Soil carbon sequestration in sub-Saharan Africa: a review, <i>Land Degrad. Dev.</i> , 16, 53–71.
49	Winrock International. 2004. Exploration du potentiel de séquestration du carbone dans les forêts classées de la République de Guinée. Rapport d'étude, 62p.
50	Woomer, P. L., Tieszen, L. L., Tappan, G., Toure, A., and Sall, M.: Land use change and terrestrial carbon stocks in Senegal, <i>J. Arid. Environ.</i> , 59, 625–642, 2004a.
51	Woomer, P. L., Toure, A., and Sall, M.: Carbon stocks in Senegal's Sahel Transition Zone, <i>J. Arid Environ.</i> , 59, 499–510, 2004b.
52	Yeboah, D, Burton, AJ, Storer, AJ, Opuni-Frimpong, E (2014). Variation in wood density and carbon content of tropical plantation tree species from Ghana. <i>New Forests</i> , 45:35–52.